

BUCKINGHAM MFG.

PN 4598S & 4598L Carry - All Bags INSTRUCTIONS

Warning: Do not use this product if you cannot understand and follow the instructions and warnings that come with it and complete all necessary functions.

Buckingham has designed both a large and small Carry-All bags for use in storing transporting lightweight tools and accessories to an elevated work position. These bags can be quickly mounted or removed from your harness or belt as needed. Both the outside and inside tool tether connection rings have been tested to ANSI/ISAE 121-2018 and are rated to 5 lbs. and to be used with up to a 51" ANSI/ISAE 121-2018 tool tether.

PN 4598L- Front Side
Two Tool Tether Attachment
Rings



Two Accessory Pockets


Back Side -Three Harness Attachment
Straps. Two Tool Tether Attachment Rings
(under straps, not showing)



Side View
Two Tool Loops



Inside View
Four Tool Tether Attachment Rings
One Bag Divider



PN 4598S – Front Side
Two Tool Tether Attachment
Rings & One Accessory Pocket



Back Side -Two Harness Attachment
Straps. Two Tool Tether Attachment Rings



Side View
Two Tool Loops



Inside View - Three Tool
Tether Attachment Rings

Attachment Instructions:

1. PN 4598L is manufactured with three harness attachment straps on the back of the bag. Disconnect the buckles on all three connection straps and weave them around a suitable location on your harness / belt and then re-connect all three strap buckles. Give a slight downward tug on the bag to ensure it is properly attached.
2. PN 4598S is manufactured with two harness attachment straps on the back of the bag. Disconnect the buckles on both of the connection straps and weave them around a suitable location on your harness / belt and then re-connect both strap buckles. Give a slight downward tug on the bag to ensure it is properly attached.

Warnings:

- Know the job and the regulations governing performance requirements and select the proper equipment.
- It is the employer / user's responsibility to ensure that they are properly trained in the use, care and limitations of this product.
- Employer – instruct employees as to proper use, warnings, and cautions before use of this product.
- This product is intended for use by properly trained professionals only.
- Read carefully, understand, and heed these and all other included instructions, warnings, and cautions before using this equipment. Failure to do so could result in your serious injury or death. Should questions arise concerning the proper use or condition of your equipment, consult your Supervisor, Safety Director or contact Buckingham Manufacturing Co. at 1-800-937-2825.
- These bags are intended to be attached to your full body harness to carry and secure light tools and accessories to an elevated work position. Never use for any other purpose.
- Never mount these tool bags near the fall arrest or work positioning connection points on your harness or belt so that they will interfere with the operation of those connections.
- Never modify these bags.
- Only Buckingham Mfg. Co. or those people authorized in writing by Buckingham Mfg. Co. may make repairs to this product.
- This product should not be resold / redistributed or re-used after use by original user.
- Always use caution when working near machinery or moving parts. Tool straps and the tool bags may become inadvertently entangled.
- Always use caution when working near energized power lines.
- Avoid contact of these bags with chemicals that may damage the material. If in doubt, contact Buckingham Mfg.
- Be sure to perform a trial test while on the ground to ensure the tool bag is properly secured to your harness prior to climbing.
- Never overload your tool bag or its attached rings.

STATEMENT of OBSOLESCENCE:

Precise “useful life expectancy” or “shelf life” for this product is not specified, as the degree of use, conditions of use, and the degree of care and storage determines useful life. All users maintain responsibility to select proper equipment for the job, be properly trained in its use, and ensure all personnel support equipment passes inspection before each use. Upon evidence of defects, damage or deterioration, all equipment shall be removed from service immediately and tagged or marked as unusable or destroyed. Additionally, all equipment shall be inspected on a regular basis not to exceed one year by a Competent Person, as defined by OSHA/ANSI, to verify that the equipment is safe for use. In the event of any question or concern regarding the condition of such equipment, users shall remove the equipment from service for further inspection. All users must comply with OSHA/ANSI/ASTM standards prior to and in using such equipment. For more information regarding safe and appropriate use of equipment, please contact Buckingham Manufacturing at 1-800-937-2825.

INTERNATIONAL USERS:

Notwithstanding the above, please know that certain international jurisdictions require manufacturers of equipment to provide customers with a maximum useful lifespan (sometimes referred to as a “Statement of Obsolescence”). To the extent required, Buckingham personal protective equipment manufactured from synthetic fiber materials including but not limited to items such as webbing and/or rope are subject to a maximum useful lifespan of ten (10) years from the date of manufacture. As stated above proper usage, storage, maintenance, and care impacts the useful lifespan of equipment. Extreme circumstances may require that product must be retired after only one use. This statement is made in conformance and compliance with BS EN 365:2004. International users must ensure that product inspections are completed by Competent Persons as defined by international standards including but not limited to British Standard (“BS”). If equipment fails any inspections, it must be immediately withdrawn from service and destroyed. For more information regarding safe and appropriate use of equipment, please contact Buckingham Manufacturing at 1-800-937-2825.

OUR GUARANTEE:

We guarantee the equipment we manufacture to be free from defects in material and workmanship. We will repair any equipment deemed to be defective which is returned to us by the original purchaser. However, this guarantee is void if any product is changed or altered in any way, or if the product is used in a manner other than for which it is intended. This express guarantee supersedes all other expressed or implied guarantees, obligations or liabilities. THERE ARE NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND AS SUCH, ALL IMPLIED WARRANTIES ARE SPECIFICALLY DISCLAIMED.

LIMITATION ON LIABILITY:

IN NO EVENT WILL BUCKINGHAM OR BUYER BE LIABLE TO THE OTHER FOR LOST REVENUES, LOST PROFITS OR ANY OTHER INDIRECT, CONSEQUENTIAL, SPECIAL OR PUNITIVE LOSSES OR DAMAGES, HOWEVER CAUSED, WHETHER IN ACTION FOR BREACH OF CONTRACT, STRICT LIABILITY, TORT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSSES OR DAMAGES. IN NO EVENT WILL BUCKINGHAM'S LIABILITY EXCEED THE TOTAL AMOUNT PAID BY BUYER TO BUCKINGHAM FOR THE PRODUCT OR EQUIPMENT GIVING RISE TO SUCH CLAIM(S).

PLEASE SEE OTHER TERMS AND CONDITIONS RELATING TO THIS PRODUCT AT <https://buckinghammfg.com/terms-conditions/>

REGISTRATION:

Before use of the product, ensure to register and confirm the product at www.buckinghammfg.com/register.

BUCKINGHAM MFG.
BINGHAMTON, NY
1-800-937-2825
www.buckinghammfg.com